



40829/L/1/BI CIRCULAR POL XXL

design emiliana martinelli, 2013

Diffused device light. Polyethylene rotational moulded, with possibility to connect it with other moduls of the "circular pol xxl".

The curved sector cod. **40829/L/1/BI** can be connected with:

code 40828/L/1/BI 60W LED - linear sector

code 40854/L/1/BI 20W LED - angular sector

by a joint (cod. 40831/GR) to form a single and continuous for customizable geometric forms.

40829/L/1/BI circular pol xxl

family:	circular pol XXL	Body Color:	<input type="radio"/>
Designers:	Emiliana Martinelli	Diffuser Color:	<input type="radio"/>
Utilization:	indoor	Body Materials:	aluminium
Typology:	pendant	Diffuser Materials:	polyethylene
Certifications:			
Market:	This item is available in the following countries: EUROPE USA & CANADA		

Dimensions

Width:	33 cm	Hole Diameter:	-
Height:	20 cm	Hole Depth:	-
Length:	124 cm	Net weight:	8 Kg
Depth:	-		
Diameter:	-		

Light Source


Watt:	60W
Lumen:	6750 lm
Light Source:	led
CRI:	>90
duration:	50000
CCT:	3000K
Energy degree:	A++

Device Specifications

Type of emission:	diffused	Power cable length:	600 cm	Driver:	included
Power:	88W	Steel cable length:	500 cm	Power supply assembly:	internal
Light output:	9030lm	Glow Wire Test:	-	Power supply:	electronic dimmable power supply
Beam angle:	-	Impact Resistance:	-	Type of dimming:	push/dali
				Voltage:	230V



photometrics data





CIRCULAR POL XXL 40829/L/1/BI

design emiliana martinelli, 2013

